

MASTERTEMP®

TRADEGRADE

eco select





BIG PERFORMANCE. SMALL FOOTPRINT.

Efficiency, fast heating and simplicity in a sleek, compact package.

When you want the soothing experience of warm water, the MasterTemp® High Performance Heater brings you the design features that deliver lower operating costs, easy operation and a long, dependable service life.

MasterTemp heaters are well-known for best-in-class energy efficiency and low emissions, even while heating your pool quickly. They feature an exceptionally compact design for such a high-performance heater, so they fit on smaller, less-intrusive equipment pads. Controls are intuitive and easy to use. MasterTemp heaters are also designed for super-quiet operation to help keep your poolside experience tranquil.



Economical and fast

Premix combustion technology for best-in-class efficiency and fast warm-ups; no long waits to enjoy your pool.



Enhanced design

Sleek, updated looks with easy-to-use controls.



Built to last

Tough, rustproof composite exterior weathers the elements.





MASTERTEMP®

HIGH PERFORMANCE HEATER





POOL SIZING*	Heater Size					Heater Size					
Temperature Change/	Model 175	Model 200	Model 250/250HD	Model 300	Model 400/400HD	Model 175	Model 200	Model 250/250HD	Model 300	Model 400/400HD	
24 Hrs.	Pool Capacity in Gallons						Pool Surface Area in Sq. Ft. at 5.5' Depth				
5	85,210	97,383	121,729	146,075	194,766	2,069	2,364	2,955	3,546	4,727	
10	42,605	48,691	60,864	73,037	97,383	1,034	1,182	1,478	1,773	2,364	
15	28,403	32,461	40,576	48,692	64,922	690	788	985	1,182	1,576	
20	21,303	24,346	30,433	36,519	48,691	517	591	739	887	1,182	
25	17,042	19,477	24,346	29,216	38,953	414	473	591	710	945	
30	14,201	16,230	20,288	24,345	32,461	345	394	493	591	788	
35	12,173	13,912	17,390	20,868	27,824	296	338	423	507	675	
40	10,651	12,173	15,216	18,260	24,346	259	295	369	443	591	

^{*}ASME models available. See your Pentair representative for details.

SPA SIZING

Spa Volume (Gallons)

Model	200	300	400	500	600	700	800	900	1,000
		Mi	inutes for 30°	F Temperat	ture Rise (F	leater Input in	1,000 BTU/H	IR)	40
175	21	31	40	50	61	71	81	91	102
200	18	27	35	44	53	62	71	80	89
250/250HD	16	24	31	39	47	√ 54	62	70	78
300	14	20	27	33	40	47	53	60	67
400/400HD	9	13	18	22	27	31	35	40	44

^{*}Note: The chart is based on a 30°F (16.6°C) temperature rise, discounting losses and only based on heat required to raise temperature in minutes. Two-year limited warranty. See warranty for details.





The MasterTemp High Performance Heater has earned the Eco Select® brand distinction as one of the greenest and most efficient choices from Pentair.

TRADEGRADE

The TradeGrade family of products is exclusively made for and sold by the world's most demanding pool professionals.

1620 Hawkins Ave | Sanford, NC 27330 | United States | 800.831.7133 | pentair.com

All Pentair trademarks and logos are owned by Pentair plc, or one of its global affiliates. MasterTemp® and Eco Select® are registered trademarks of Pentair Water Pool and Spa, Inc. and/or its affiliated companies in the United States and/or other countries. Because we are continuously improving our products and services, Pentair reserves the right to change specifications without prior notice.







